

FOR BIRD WATCHERS

DSATTHESLITERE

FOR Welcome to Sitere!

In the Slitere National Park, except for restricted areas, you may through it to look for plants, animals and landscapes, to pick multiple prices, to go swimming (except at Kell).



The geographic placement of the Slitere National Park and the diversity of the environment in this particular place have ensured two wonderful and unique characteristics and values for it. First of all, the park is crossed by the migration routes for birds travelling from the White Sea to the Baltic Sea. Second, many rare and particularly endangered species of birds can be found in the park itself. Of the 338 species of birds ever registered in Latvia, 261 have been spotted at the SNP. Of these, 66 are uncommon and highly protected in Latvia. 140 are endangered at the European level.

Best viewing locations

The best places to spot birds during and outside of migration season are the Evaži, Peterezers, pines of Cape Kolka and Šlītere nature trails. and on the seashore by the village of Vaide and at Cape Kolka (marked on the map with (1). During the height of the migration season, literally tens of thousands of birds fly over Cape Kolka each hour. Nearly all of the Latvian species of birds can be spotted there during the summer. The coastal waters of Cape Kolka and the Irbe narrows are an important feeding place for migrating water birds, as well as those which spend the winter there. The spring is the best time to bird-watch at Kolka – the birds fly North along the coast, and there are both land and water birds – loons, ducks, gulls and terns which see the cape as a boundary along which there are very clear streams of migration. Not all species of birds travel at the same time. Spring migration begins in late February and continues until late May. April and early May are the best viewing times. In the autumn, there are different species and fewer birds – fewer predatory and more wading birds. The migration of water birds along the cape can be guite intensive during the autumn, too.

Finding a location on Cape of Kolka (Kolkasrags)

First, determine the direction of the wind. If the wind is slow (something that is not particularly typical at Cape Kolka in the autumn and winter), choose a place on the beach by the ruins of the old Kolka lighthouse. If there's a strong westerly or north-westerly wind, choose a spot at the edge of the forest where you will be out of the wind. Most birds can be spotted from a stationary location, but if you want to see everything that there is to see, plan to spend at least a couple of hours there. The birds fly above the sea, the forest, the pine trees and the scattered shrubs. Some are always on the beach. You can also walk along the beach on both sides of the cape.

BEST PRACTICE WHEN BIRD-WATCHING:

- Leave the birds alone!
- Remember that all species of birds are equally important.
- Protect the nesting places of birds.
- Respect the rights of yourselves and others.
- Write down your observations.
- Share your knowledge thoughtfully.
- Try to learn more.

Guides

Vilnis Skuja (mag. biol.), who has been an ornithologist since 1980. He spent many years studying the raven. Later he focused on mammals, amphibians and reptiles, and he is one of Latvia's most experienced natural researchers. He leads tours through the Slītere National Park. Ring +371 29365230.

Helmuts Hofmanis (mag. biol.) is an ornithologist whose work has centred on Latvia's largest bird of its type - the wood grouse. He has worked on various ornithological projects all over Latvia, and also offers tours of the Slitere National Park. Ring +371 26444121.

Equipment. The best binoculars for bird-watching will be 8x30 to 10x50 binoculars with an attached telescope. The binoculars will allow you to look at flocks of birds that are of interest to you, while the telescope will allow you to determine the species and other nuances about the birds. The diameter of the telescope's lens should be around 80 mm, and it should enlarge the image by around 20 times. Bring a bird guidebook to help you if you spot an uncommon bird or one with which you're just not familiar.

Bird-related events at the SNP

Two events dedicated to birds take place at the Slītere National Park each year - Bird Days at Kolkasrags, next scheduled for April 24-25, 2010, and International Bird-Watching Days, next due on October 2-3, 2010. See the homepage of the Latvian Ornithological Society (www.lob.lv) for more.

Accommodations: 🚬 Jaunklāvi in Sīkrags, 29469614

🚹 Jaunlīdumi in Lapmežciems, 29467556

Upeskalni in Mazirbe, 29259510

Mazirbes Kalēji, 28829474, 29213412

Dzintariņi in Mazirbe, 26173009

Jauntilmači in Košrags, 29412974 🛕 📻 Pītagi in Košrags, 29372728, www.pitagi.lv

♠ Krūmini in Saunags, 29452512

Purvziedi in Vaide, 63200179, 29395624

👗 🚬 Ūši in Kolka, 63276507, 29475692, <u>www.kolka.info</u> Tenting grounds in Melnsils, 28605606

Resting place in Kolkasrags, Melnsils

Shopping in Dundaga, Mazirbe, Kolka, Melnsils, Vīdāle **Dining:** Dundaga, Kolka (only during the season)

Information: www.livones.lv;

www.talsurajons.lv 63224165; www.kolkasrags.lv 29149105; www.countryholidays.lv 67617600; www.ziemelkurzeme.lv 63232293, 29444395.

Emergency assistance: Ring 112

The Slitere National Park features several other hikes, as well as bike, water and auto routes. Look for a list of routes on **www.countryholidays.lv** and for markings out in nature.



which is open for visitors.



The Slītere National Park (established

known, with good reason, as an open-air museum

which shows the historical development of the

Baltic Sea. Nowadays evidence of geological

events is seen in the Blue Hills of Slītere, which

stand 20 to 30 metres high above what was the

shore of the Baltic lake of ice 10,000 years ago. The

Stiebri hills were former 8,000 or 9,000 years ago,

while the Littorina Sea formed Europe's largest set

of dune ramparts and damp hollows between

those ramparts. This occurred between 4,000 and

7,000 years ago. The gentle climate of Northern

Kurzeme is the reason why so many rare plants

are found in the park - some 860 in all including

Common Yew (Taxus baccata) and Baltic Ivv

(Hedera helix var. baltica). Of certain value in the

preservation of these treasures was the Soviet

military machine, which has left behind army

bases and other military objects in the area. The

presence of the military meant that the area of

what is now the Slītere National Park remained

largely undisturbed for 50 years. The park includes

one of the most popular tourist destinations in

Latvia - the Cape of Kolka, which is visited by

more than 50,000 travellers each year. During the

spring migration of birds, tens of thousands of

birds fly over the cape within one hour. Along the

shore of the Baltic Sea is the so-called Livonian

coast, which stretches from Kolka to Sīkrags and

Ovīši. Fishing villages and other cultural objects

established by the world's smallest ethnic minority,

the Livonians, can be found here. Tourists will

enjoy interesting four nature trails, bicycling

routes, viewing tower, and the Šlītere lighthouse

in 1999 as a strict nature reserve) is







- 1 The Capercaillie is the largest bird of its kind the world. If you're lucky, you'll spot the bird at the side of gravel roads, gnawing on tiny pebbles which help it to digest its food.
- 2 The European Eagle Owl is Latvia's largest owl, and its hooting can be heard in February and March in the area of Kolka. The eagle-owl is mostly a ground-nester, using shallow holes near a tree stump or uprooted root. In the Gauja National Park, it also lives in cliff niches and on cliff terraces.
- 3 The Common Chaffinch is Latvia's most common species of bird and is found all over the country and in the widest variety of biotopes. Ornithologists think that there are some 2.5 million chaffinches in Latvia.

- 1 The Common Shelduck is one of the largest and most colourful ducks in Latvia. It is often seen near the seashore. These birds tend to nest under nearby homes and ancillary buildings. The Saaremaa duck is known for "duckling kindergartens" – if one family's ducklings have become lost or orphaned, other families take them in. That's why you sometimes see families with as many as 20 or more ducklings.
- 5 The Gray Heron is the size of a stork and can often be seen near the seashore in Slītere. It mostly subsists on fish, but it has been known to eat other animals, too. Researchers at Slītere have found that these herons spend a lot of time at places where the Natterjack toad is spawning. Presumably the birds eat some of the frog-spawn.
- The White Wagtail is Latvia's national bird and can be found all over the country. Here, at the Slītere seashore, the wagtail often nests in abandoned fishermen's boats, while the beach offers them an outstanding source of food.
- The European Nightjar is often found on forest roads at night in June and July, and often it is run down by motor vehicles. When the birds takes flight, there are easily visible white spots at the ends of their wings. The nightjar winters in tropical Africa. If you see "shining eyes" in your headlights, slow down – you'll help birds and animals to avoid accidents.
- 1 The Little Ringed Plover is common at the Slītere seashore, but far less so than in the 1980s. It can be differentiated from the very similar ringed plover by the yellow ring around its eyes, and by the beak, which is completely black. During nesting season, the little ringed plover digs a small hole in the sand and lays three eggs. If an enemy approaches the nest, one of the parents starts to make a lot of noise to chase it away. Don't spend much time in such locations, please.

- The Great Cormorant was quite uncommon in Latvia 30 years ago, but that's no longer the case. Cormorants can often be seen sitting on a breakwater or beach with spread wings. That means that they're drying their wings. The appearance of the cormorant in such cases is reminiscent of a cross, which is why the cormorant often appeared on Medieval heraldry.
- 10 The White-tailed Eagle is Latvia's largest predatory bird, with a wingspan of approximately 2.5 metres. The bird can be identified in flight by its silhouette – long and flat wings with very visible "fingers." Older birds have a highly visible white tail. The bird starts to nest at the age of five or six, and it builds its huge nest in old trees. Usually these nests are even larger than those that are built by storks. No white-tailed eagle nest has ever been found in Slītere, but the birds are often seen there. The nearest known nesting place is in the nature reserve that is known as the Ance swamps and forests.

- 11 The Herring Gull is the most common gull to be seen by the seaside. If you see one on the beach, then you can tell that it's a herring gull because of a yellow beak with a small red area on the lower beak.
- 12 The Black Woodpecker is the largest of Europe's woodpeckers. The holes that it pecks into trees for its nests are at least 40 cm in diameter. The bird makes nests in pines, birches and aspens. When the nest is abandoned, other birds and animals settle there – ones which do not peck holes themselves. These include the tiny Eurasian pygmy owl, which is Latvia's smallest owl, the Tengmalm's owl, the stock dove, and the European pine marten.
- 13 The White-throated Dipper is a migratory bird, arriving in Latvia from Scandinavia in November and going back again in March. The dipper lives near rivers and streams, feeding on various water-based invertebrates by diving under the water. In and around the Slītere National Park, the dipper can be spotted near river valleys.



A Capercaillie, Tetrao urogallus



A European Eagle Owl, Bubo bubo



A Common Chaffinch, Fringilla coelebs



A Common Shelduck, Tadorna tadorna



A Grav Heron, Ardea cinerea



A White Wagtail, Motacilla alba



A European Nightjar, Caprimulgus europaeus



A Little Ringed Plover, Charadrius dubius



A Great Cormorant, Phalacrocorax carbo



A White-tailed Eagle, Haliaeetus albicilla



A Herring Gull, Larus argentatus



A Black Woodpecker, Dryocopus martius



A White-throated Dipper, Cinclus cinclus

 \overline{A} thick dark line means that the bird can be seen regularly, while a broken line means that it is not seen regularly.

Species	Place to spot	Month											
		Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sept	Oct	Nov	Dec
Capercaillie	Pine forest, roadside											⊢ −	
2 European Eagle Owl													
3 Common Chaffinch												•	
4 Common Shelduck	Coast line												
6 Gray Heron	Coast line									— —			
6 White Wagtail	Coast line and fishing villages					-						•	
European Nightjar	Edges of swamps, pine forests												
8 Little Ringed Plover	Coast line												
9 Great Cormorant	Sea, coast line												•
10 White-tailed Eagle	Entire territory												
Herring Gull	Coast line												
12 Black Woodpecker	Pine forests												_
White-throated Dipper	Flowing water												